glass microfibres of representative composition:[Calcium-aluminium-silicate fibres with random orientation with the following composition (% given by weight): SiO2 55,0-60,0 %, Al2O3 4,0-7,0 %, B2O3 8,0-11,0 %, ZrO2 0,0-4,0 %, Na2O 9,5-13,5 %, K2O 0,0-4,0 %, CaO1,0-5,0 %, MgO 0,0-2,0 %, Fe2O3 < 0,2 %, ZnO 2,0-5,0 %, BaO3,0-6,0 %, F2 < 1,0 %. Process: typically produced by flame attenuation and rotary process. (Additional individual elements may be present at low levels@ the process list does not preclude innovation).]

IDENTIFICATION NUMBERS

MORE INFORMATION

- **Synonyms:** procesos de fabricación: producidos habitualmente por estirado a la llama y procesos de rotación (pueden estar presentes otros elementos en niveles bajos, la lista de los procesos no excluye la innovación).]

CLASSIFICATION AND LABELLING (Regulation 1272/2008)

Symbols



GHS08

Respiratory sensitisation

Signal word: **Warning**

H Phrases

H351 : Suspected of causing cancer

Carc. (Cat. 2) : Carcinogenicity

Notes

- R.1272-Note A

Specific health risks

Carcinogens and mutagens (Regulation 1272/2008)

Substances classified as carcinogenic or mutagenic under Regulation 1272/2008