fentin acetate (ISO), triphenyltin acetate@fentin acetate

IDENTIFICATION NUMBERS

- **CAS:** 900-95-8
- **EC/EINECS:** 212-984-0

MORE INFORMATION

- **Molecular Formula:** C20H18O2Sn
- **Synonyms:** ACETATO DE TRIFENILESTAÑO, ACETILOXI-TRIFENIL-ESTAÑO, (ACETILOXI)TRIFENIL-ESTANNANO, ACETATO DE FENTIN (ISO)

USES

pesticide

⚠ **Black list — Substances particularly hazardous to the environment or health**

CLASSIFICATION AND LABELLING (Regulation 1272/2008)

Symbols



GHS05

Corrosive to metals



GHS06

Acute toxicity (oral, dermal, inhalation)



GHS08

Respiratory sensitisation



GHS09

Hazardous to the aquatic environment

Signal word: Danger

H Phrases

H351 : Suspected of causing cancer

Carc. (Cat. 2) : Carcinogenicity

H330 : Fatal if inhaled

Acute Tox. (Cat. 2 *) : Acute toxicity

H311 : Toxic in contact with skin

Acute Tox. (Cat. 3 *) : Acute toxicity

H301 : Toxic if swallowed

Acute Tox. (Cat. 3 *) : Acute toxicity

H372 : Causes damage to organs through prolonged or repeated exposure

STOT RE (Cat. 1) : Specific target organ toxicity - repeated exposure

H335 : May cause respiratory irritation

STOT SE (Cat. 3) : Specific target organ toxicity - single exposure

H315 : Causes skin irritation

Skin Irrit. (Cat. 2) : Skin corrosion/irritation

H318 : Causes serious eye damage

Eye Dam. (Cat. 1) : Serious eye damage/eye irritation

H400 : Very toxic to aquatic life

Aquatic Acute (Cat. 1) : Hazardous to the aquatic environment

H410 : Very toxic to aquatic life with long lasting effects

Aquatic Chronic (Cat. 1) : Hazardous to the aquatic environment

H361d : Suspected of damaging the unborn child.

Repr. (Cat. 2) : Reproductive toxicity

Labelling

Concentration	Labelling
C >= 20 %	Xi; R37
C >= 2,5 %	N; R50-53
0,25 % <= C < 2,5 %	N; R51-53
0,025 % <= C < 0,25 %	R52-53
	M=10

Specific health risks

Endocrine disruptors

Substances with endocrine disrupting activity

DISRUPTOR LEVEL

NS, UE1

Occupational Exposure Limits (OEL)

Daily exposure limit values (VLA-ED) published by the Spanish National Institute of Safety and Health at Work (INSST). They represent the average concentration of a chemical agent in the worker's breathing zone, measured or calculated in a time-weighted manner for an 8-hour daily working period. (https://www.insst.es/valores-limites-de-exposicion)

Carcinogens and mutagens (Regulation 1272/2008)

Substances classified as carcinogenic or mutagenic under Regulation 1272/2008

Reproductive toxicants

Substances classified as toxic for reproduction under Regulation 1272/2008

Environmental regulations

LPCIC (EPER)

Priority substances and specific pollutants within the EU water policy framework, established by the Water Framework Directive (2000/60/EC) and the Priority Substances Directive (2008/105/EC and amendments). Substances posing significant risk to European surface waters and subject to Environmental Quality Standards (EQS).

EPER WATER

1

EPER AIR

EPER SOIL

EPER Water

Substances from List 1 of Annex III of the IPPC Directive (integrated into the Industrial Emissions Directive 2010/75/EU). Atmospheric pollutants —including SO_2, NOx, heavy metals and organic compounds— that must be taken into account when setting emission limit values for IPPC installations.

Restriction/prohibition regulations

Restricted substances under REACH

Substances listed in Annex XVII of the REACH Regulation (EC) No 1907/2006, subject to restrictions on their manufacture, placing on the market or use. Restrictions may be total or partial, limiting specific applications, maximum concentrations or user groups.

Major accident hazards (Seveso)

Hazardous substances listed in Annex I of the Seveso III Directive (Directive 2012/18/EU), transposed in Spain by Royal Decree 840/2015. Their presence in industrial establishments in quantities equal to or above established thresholds triggers obligations to implement major accident risk control measures.