barium hydroxide

IDENTIFICATION NUMBERS

- **CAS:** 17194-00-2
- **EC/EINECS:** 241-234-5

MORE INFORMATION

- **Molecular Formula:** BaH2O2
- **Synonyms:** BARITA CAUSTICA, HIDROXIDO DE BARIO

USES

coagulant, herbicide, inertizer, slag, fluxing agent, bleaching agent

CLASSIFICATION AND LABELLING (Regulation 1272/2008)

Symbols



GHS07

Acute toxicity (oral, dermal, inhalation

Signal word: **Warning**

H Phrases

H332 : Harmful if inhaled

Acute Tox. (Cat. 4 *) : Acute toxicity

H302 : Harmful if swallowed

Acute Tox. (Cat. 4 *) : Acute toxicity

Notes

- R.1272-Note A
- R.1272-Note 1

Labelling

Concentration	Labelling
C>=1%	Xn: R20/22
	*

Specific health risks

Occupational Exposure Limits (OEL)

Daily exposure limit values (VLA-ED) published by the Spanish National Institute of Safety and Health at Work (INSST). They represent the average concentration of a chemical agent in the worker's breathing zone, measured or calculated in a time-weighted manner for an 8-hour daily working period. (https://www.insst.es/valores-limites-de-exposicion)

Specific environmental risks

Hazardous water substances (Germany)

Substances classified with chronic aquatic toxicity under the CLP Regulation (H410–H413 phrases, Aquatic Chronic categories 1 to 4). They pose a long-term hazard to aquatic organisms, even at low concentrations and through prolonged exposure.

MMA CLASSIFICATION

1

Restriction/prohibition regulations

Substances under PACT evaluation

Substances under active regulatory monitoring through ECHA's PACT (Public Activities Coordination Tool). Allows tracking which regulatory authorities are examining a substance and what potential regulatory actions are being considered (restriction, SVHC identification, harmonised classification, etc.).