thallium

IDENTIFICATION NUMBERS

- **CAS:** 7440-28-0
- **EC/EINECS:** 231-138-1
- **International Chemical Safety Card (ICSC):** 0077

MORE INFORMATION

- **Molecular Formula:** Tl
- **Synonyms:** TALIO ELEMENTAL

USES

pesticide

⚠ **Black list — Substances particularly hazardous to the environment or health**

CLASSIFICATION AND LABELLING (Regulation 1272/2008)

Symbols



GHS06

Acute toxicity (oral, dermal, inhalation)



GHS08

Respiratory sensitisation

Signal word: **Danger**

H Phrases

H330 : Fatal if inhaled

Acute Tox. (Cat. 2 *) : Acute toxicity

H300 : Fatal if swallowed

Acute Tox. (Cat. 2 *) : Acute toxicity

H373 : May cause damage to organs through prolonged or repeated exposure

STOT RE (Cat. 2 *) : Specific target organ toxicity - repeated exposure

H413 : May cause long lasting harmful effects to aquatic life

Aquatic Chronic (Cat. 4) : Hazardous to the aquatic environment

Specific health risks

Neurotoxic substances

Substances with neurotoxic effects

NEUROTOXIC EFFECT	LEVEL
SNC / OTOTÓXICO	4

SOURCE
14, 25

Occupational Exposure Limits (OEL)

Daily exposure limit values (VLA-ED) published by the Spanish National Institute of Safety and Health at Work (INSST). They represent the average concentration of a chemical agent in the worker's breathing zone, measured or calculated in a time-weighted manner for an 8-hour daily working period. (https://www.insst.es/valores-limites-de-exposicion)

Ototoxic substances

Substances with ototoxic effects

NEUROTOXIC EFFECT	SOURCE
SNC / OTOTÓXICO	14, 25

Restriction/prohibition regulations

Major accident hazards (Seveso)

Hazardous substances listed in Annex I of the Seveso III Directive (Directive 2012/18/EU), transposed in Spain by Royal Decree 840/2015. Their presence in industrial establishments in quantities equal to or above established thresholds triggers obligations to implement major accident risk control measures.