aniline oxalate

IDENTIFICATION NUMBERS

- **CAS:** 51855-90-4
- **EC/EINECS:** 257-475-4

MORE INFORMATION

- **Molecular Formula:** C6H7N.xC2H2O4
- **Synonyms:** ETANODIOATO DE BENCENAMINA, BENCENAMINA, ETANODIOATO, OXALATO DE ANILINA

⚠ **Black list — Substances particularly hazardous to the environment or health**

CLASSIFICATION AND LABELLING (Regulation 1272/2008)

Symbols



GHS05

Corrosive to metals



GHS06

Acute toxicity (oral, dermal, inhalation)



GHS08

Respiratory sensitisation



GHS09

Hazardous to the aquatic environment

Signal word: **Danger**

H Phrases

H351 : Suspected of causing cancer

Carc. (Cat. 2) : Carcinogenicity

H341 : Suspected of causing genetic defects

Muta. (Cat. 2) : Germ cell mutagenicity

H372 : Causes damage to organs through prolonged or repeated exposure

STOT RE (Cat. 1) : Specific target organ toxicity - repeated exposure

H331 : Toxic if inhaled

Acute Tox. (Cat. 3 *) : Acute toxicity

H311 : Toxic in contact with skin

Acute Tox. (Cat. 3 *) : Acute toxicity

H301 : Toxic if swallowed

Acute Tox. (Cat. 3 *) : Acute toxicity

H318 : Causes serious eye damage

Eye Dam. (Cat. 1) : Serious eye damage/eye irritation

H317 : May cause an allergic skin reaction

Skin Sens. (Cat. 1) : Respiratory/skin sensitization

H400 : Very toxic to aquatic life

Aquatic Acute (Cat. 1) : Hazardous to the aquatic environment

Notes

- R.1272-Note A

Labelling

Concentration	Labelling
C>=1%	T: R20/21/22-40-48/23/24/25
0.2%<=C<1%	Xn: R48/20/21/22
	*
C >= 1 %	STOT repe., 1; H372
0,2 % <= C < 1 %	STOT repe., 2; H373

Specific health risks

Carcinogens and mutagens (Regulation 1272/2008)

Substances classified as carcinogenic or mutagenic under Regulation 1272/2008

Sensitisers

Substances with skin or respiratory sensitisation potential

Restriction/prohibition regulations

Major accident hazards (Seveso)

Hazardous substances listed in Annex I of the Seveso III Directive (Directive 2012/18/EU), transposed in Spain by Royal Decree 840/2015. Their presence in industrial establishments in quantities equal to or above established thresholds triggers obligations to implement major accident risk control measures.