3-isocyanatomethyl-3,5,5-trimethylcyclohexyl isocyanate

IDENTIFICATION NUMBERS

- **CAS:** 4098-71-9
- **EC/EINECS:** 223-861-6
- **International Chemical Safety Card (ICSC):** 0499

MORE INFORMATION

- **Molecular Formula:** C12H18N2O2
- **Synonyms:** DIISOCIANATO DE ISOFORONA, 3-ISOCIANOMETIL-3,5,5-TRIMETILCICLO-HEXILISOCIANATO, ISOCIANATO DE 3,5,5-TRIMETILCICLOHEXIL

⚠ **Black list — Substances particularly hazardous to the environment or health**

CLASSIFICATION AND LABELLING (Regulation 1272/2008)

Symbols



GHS05

Corrosive to metals



GHS06

Acute toxicity (oral, dermal, inhalation)



GHS08

Respiratory sensitisation



GHS09

Hazardous to the aquatic environment

Signal word: Danger

H Phrases

H330 : Fatal if inhaled

Acute Tox. (Cat. 31) : Acute toxicity

H314 : Causes severe skin burns and eye damage

Eye Irrit. (Cat. 2) : Serious eye damage/eye irritation

H334 : May cause allergy or asthma symptoms or breathing difficulties if inhaled

Eye Dam. (Cat. 1) : Serious eye damage/eye irritation

H317 : May cause an allergic skin reaction

Resp. Sens. (Cat. 1) : Respiratory/skin sensitization

H411 : Toxic to aquatic life with long lasting effects

Skin Sens. (Cat. 1A) : Respiratory/skin sensitization

EUH071

Notes

- R.1272-Note 2

Labelling

Concentration	Labelling
C >= 2 %	T; R23
0,5 % <= C < 2 %	Xn; R20
C >= 0,5 %	R42/43
Inhalation	ATE=0,03 mg/L (dust or mist)
Sens. resp., 1; H334	C >= 0,5 %
Sens. cut.,1A; H317	C >= 0,001 %

Specific health risks

Endocrine disruptors

Substances with endocrine disrupting activity

DISRUPTOR LEVEL

NS

Occupational Exposure Limits (OEL)

Daily exposure limit values (VLA-ED) published by the Spanish National Institute of Safety and Health at Work (INSST). They represent the average concentration of a chemical agent in the worker's breathing zone, measured or calculated in a time-weighted manner for an 8-hour daily working period. (https://www.insst.es/valores-limites-de-exposicion)

Sensitisers

Substances with skin or respiratory sensitisation potential

Restriction/prohibition regulations

REACH sensitisers

Substances identified as respiratory or skin sensitisers under the REACH Regulation. Includes substances that, without necessarily having a CLP classification, have been assessed by ECHA as potentially allergenic in occupational exposure contexts.

Restricted substances under REACH

Substances listed in Annex XVII of the REACH Regulation (EC) No 1907/2006, subject to restrictions on their manufacture, placing on the market or use. Restrictions may be total or partial, limiting specific applications, maximum concentrations or user groups.

NOTES

1. Shall not be used as substances on their own, as a constituent in other substances or in mixtures for industrial and professional use(s) after 24 August 2023, unless: (a) the concentration of diisocyanates individually and in combination is less than 0,1 % by weight, or (b) the employer or self-employed ensures that industrial or professional user(s) have successfully completed training on the safe use of diisocyanates prior to the use of the substance(s) or mixture(s). 2. 2. Shall not be placed on the market as substances on their own, as a constituent in other substances or in mixtures for industrial and professional use(s) after 24 February 2022, unless: (a) the concentration of diisocyanates individually and in combination is less than 0,1 % by weight, or (b) the supplier ensures that the recipient of the substance(s) or mixture(s) is provided with information on the requirements referred to in point (b) of paragraph 1 and the following statement is placed on the packaging, in a manner that is visibly distinct from the rest of the label information: “As from 24 August 2023 adequate training is required before industrial or professional use”. 3. For the purpose of this entry “industrial and professional user(s)” means any worker or self-employed worker handling diisocyanates on their own, as a constituent in other substances or in mixtures for industrial and professional use(s) or supervising these tasks. 4. The training referred to in point (b) of paragraph 1 shall include the instructions for the control of dermal and inhalation exposure to diisocyanates at the workplace without prejudice to any national occupational exposure limit value or other appropriate risk management measures at national level. Such training shall be conducted by an expert on occupational safety and health with competence acquired by relevant vocational training. That training shall cover as a minimum: (a) the training elements in point (a) of paragraph 5 for all industrial and professional use(s). (b) the training elements in points (a) and (b) of paragraph 5 for the following uses: - handling open mixtures at ambient temperature (including foam tunnels); — spraying in a ventilated booth; — application by roller; — application by brush; — application by dipping and pouring; — mechanical post treatment (e.g. cutting) of not fully cured articles which are not warm anymore; — cleaning and waste; — any other uses with similar exposure through the dermal and/or inhalation route; (c) the training elements in

Major accident hazards (Seveso)

Hazardous substances listed in Annex I of the Seveso III Directive (Directive 2012/18/EU), transposed in Spain by Royal Decree 840/2015. Their presence in industrial establishments in quantities equal to or above established thresholds triggers obligations to implement major accident risk control measures.

Substances under PACT evaluation

Substances under active regulatory monitoring through ECHA's PACT (Public Activities Coordination Tool). Allows tracking which regulatory authorities are examining a substance and what potential regulatory actions are being considered (restriction, SVHC identification, harmonised classification, etc.).

MEMBER STATE	ACTIVITY
Sweden	RMOA
LAST UPDATE	**SCOPE**
2018-02-09T00:00:00	Sensitiser