beryllium

IDENTIFICATION NUMBERS

- **CAS:** 7440-41-7
- **EC/EINECS:** 231-150-7
- **International Chemical Safety Card (ICSC):** 0226

MORE INFORMATION

- **Molecular Formula:** Be

USES

catalyst, alloying agent, brazing agent

CLASSIFICATION AND LABELLING (Regulation 1272/2008)

Symbols



GHS06

Acute toxicity (oral, dermal, inhalation)



GHS08

Respiratory sensitisation

Signal word: **Danger**

H Phrases

H372 : Causes damage to organs through prolonged or repeated exposure

STOT RE (Cat. 1) : Specific target organ toxicity - repeated exposure

H330 : Fatal if inhaled

Acute Tox. (Cat. 2 *) : Acute toxicity

H301 : Toxic if swallowed

Acute Tox. (Cat. 3 *) : Acute toxicity

H319 : Causes serious eye irritation

Eye Irrit. (Cat. 2) : Serious eye damage/eye irritation

H335 : May cause respiratory irritation

STOT SE (Cat. 3) : Specific target organ toxicity - single exposure

H315 : Causes skin irritation

Skin Irrit. (Cat. 2) : Skin corrosion/irritation

H317 : May cause an allergic skin reaction

Skin Sens. (Cat. 1) : Respiratory/skin sensitization

H350i : May cause cancer by inhalation.

Carc. (Cat. 1B) : Carcinogenicity

Specific health risks

Carcinogens (other sources)

Substances classified as carcinogens or mutagens Category 3 under the Dangerous Preparations Directive criteria (pre-CLP). Substances with limited evidence or indications of carcinogenicity or mutagenicity.

CATEGORY	SOURCE
G-A1, N-1	ACGIH, NTP

Neurotoxic substances

Substances with neurotoxic effects

LEVEL
1

According to IARC

Substances classified as carcinogens or mutagens Category 2 under the CLP Regulation (GHS), bearing H351 and/or H341 phrases. These are substances suspected of causing cancer or heritable genetic mutations in humans.

IARC GROUP	IARC VOLUME
Grupo 1	58, 100C; 2012

Occupational Exposure Limits (OEL)

Daily exposure limit values (VLA-ED) published by the Spanish National Institute of Safety and Health at Work (INSST). They represent the average concentration of a chemical agent in the worker's breathing zone, measured or calculated in a time-weighted manner for an 8-hour daily working period. (https://www.insst.es/valores-limites-de-exposicion)

Sensitisers

Substances with skin or respiratory sensitisation potential

Restriction/prohibition regulations

REACH sensitisers

Substances identified as respiratory or skin sensitisers under the REACH Regulation. Includes substances that, without necessarily having a CLP classification, have been assessed by ECHA as potentially allergenic in occupational exposure contexts.

Substances under CoRAP evaluation

Substances included in the Community Rolling Action Plan (CoRAP) of the REACH Regulation. These are substances selected for evaluation by EU Member States due to indications of risk to human health or the environment, with the aim of clarifying whether regulatory action is warranted.

YEAR	MEMBER STATE
2013	Germany

INITIAL GROUNDS FOR CONCERN

Exposure/Occupational exposure in relation to CMR properties

Major accident hazards (Seveso)

Hazardous substances listed in Annex I of the Seveso III Directive (Directive 2012/18/EU), transposed in Spain by Royal Decree 840/2015. Their presence in industrial establishments in quantities equal to or above established thresholds triggers obligations to implement major accident risk control measures.

Substances under PACT evaluation

Substances under active regulatory monitoring through ECHA's PACT (Public Activities Coordination Tool). Allows tracking which regulatory authorities are examining a substance and what potential regulatory actions are being considered (restriction, SVHC identification, harmonised classification, etc.).

MEMBER STATE	ACTIVITY
Germany	RMOA
LAST UPDATE	**SCOPE**
2016-12-19T00:00:00	CMR